


Opstartrapport WP 2/10 Emerald Garden



Aangepaste parameter

Par 2-3 Datums aangepast in parameters

Par 8 Max handbedieningstijd 10min geplaatst

Par 135 K factor ok


Par 136 Q factor ok

Spider : Uur en data op thermostaat goed gezet


Spider opladen sww om 15:15 gezet

Spider vraag temp op 18


Start bronpomp en testen cv pomp




Opstart



10 min



 **itho daalderop**

CE

Type: WPV 200L 3G



Serie nr.: #5GV242680325

Artikel nr.: 03-00668

Breedte: 600 mm
Diepte: 600 mm
Hoogte: 1270 mm (excl. Aansluitleidingen)


Volume: 200 liter
Gewicht: 60 kg

Max. bedrijfsdruk: 800 kPa


Made in the Netherlands

Itho Daalderop
Lingewei 2
4004 LL Tiel





Model / type WPU 35KC-5G
Product no. 03-00695
Serial no. #WPU242640015
Nominal heating capacity 3,8 kW (W10/W35)
Nom. heating cap. + heater -
Maximum cooling capacity 4,0 kW (W15/W22)
Weight 87 kg
Power supply 230V 50Hz 1~ +N + PE
Maximum power 1,6 kW
Maximum current 8,3 A
Circuit breaker 16 A (B characteristic)
IP number IP30
Max. source system pressure 3 bar
Max. heating system pressure 3 bar
Max. sanitary water pressure 10 bar
Refrigerant / charge R134a 1,0 kg
Max. operating pressure LP 9.0, HP 28 bar (g)
Refrigerant install.date 20-9-2024
Contains fluorinated greenhouse gases.
GWP: 1430, CO2 equivalent: 1.43 tons
Hermetically sealed equipment.



#WPU242640015

itho Daalderop
IOT V1.1

Art. code 01-04000.003
Prod. date 2423
SW revision 0.13.4
HW revision 731900
Serial 9139



Lingewei 2, 4004 LL Tiel, the Netherlands